

Serial No. 09/000,301

June 26, 2002

Page 2

C1 display means for displaying an image at an object display position based on the image processing;

contact input means movably provided and brought into contact with said display means by the operation of a player, for generating a signal for computing the contact position when contacting said display means;

position computing means for computing said contact position based on signals from the contact input means; and

determination means for determining whether a desired positional relationship is established between said contact position and said object display position based on computed results, wherein said image processing means provides prescribed image processing for said object when the determination means determines that the desired positional relationship has been established.

C2 Sub D1 5. An image processing device comprising:

image processing means for executing image processing to move an object to different positions on a display means;

display means for displaying an image at an object display position based on the image processing;

contact means movably provided and brought into contact with said display means by the operation of a player;

input means located near said display means and generating at least one signal for computing a contact position when said contact means is brought into contact with said display means;

position computing means for computing said contact position based on the at least one signal from the input means; and

determination means for determining whether a desired positional relationship is established between said contact position and said object display position based on a computed result;

wherein said image processing means provides prescribed image processing of said object when the determination means determines that the desired positional

Serial No. 09/000,301
June 26, 2002
Page 3

relationship has been established.

Sub D2
3

16. A method for processing images, comprising:
executing image processing to move an object to different positions on a display;
displaying an image based on the step of executing image processing;
providing contact to a display by the operation of a player, and generating a
signal for computing a contact position when the contact has been made with said
display;
computing said contact position based on the signal; and
determining whether a desired positional relationship is established between said
contact position and an object display position, wherein said executing step provides
prescribed image processing of said object when it has been determined that the
desired positional relationship has been established.

17. A method for processing images, comprising:
executing image processing to move an object to different positions on a display;
displaying an image based on the image processing;
receiving a contact input when a player provides contact to a display;
generating a signal to compute a contact position when the contact has been
made with said display;
computing said contact position based on the signal; and
determining whether a desired positional relationship is established between said
contact position and an object display position, wherein said executing step provides
prescribed image processing of said object when it has been determined that the
desired positional relationship has been established.

Sub D4
C4

21. An image processing system comprising:
an image processing module for performing image processing for moving an
object to different positions on a display module;
a display module for causing the display of an image based on the image

Serial No. 09/000,301

June 26, 2002

Page 4

CH
processing performed by the image processing module;

a contact input module for receiving a contact input when contact occurs within a predetermined distance from the object and for generating a signal to compute a contact position when receiving the contact input; and

a determiner module for determining whether a desired positional relationship is established between the contact position and an object display position, wherein the image processing module provides prescribed image processing of the object when it has been determined that the desired positional relationship has been established.

22. The image processing system of claim 21 further including:

a point calculator module for awarding points when the desired positional relationship has been established by the determiner module.

23. An image processing device comprising:

an image processor for executing image processing to move an object to different positions on a display;

a display for displaying an image based on the image processing;

a contact unit movably provided and brought into contact with the display;

an input module for generating a position indicating signal when the contact unit is brought into contact with the display at a contact position;

a position module for computing the contact position based on the position indicating signal generated by the input module; and

a determiner module for determining whether a desired positional relationship is established between the contact position and an object display position, where said image processor provides prescribed image processing of the object when the desired positional relationship has been established.